

Page 1 of 1

All amounts are calculated in domestic currency.

[illegible]



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Pack Slip No: 2184191

| | | | |
|---|---|---|--|
| Ship From: A. M. Castle & Co. Chicago 3400 North Wolf Road Franklin Park, IL 60131 | Sold To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | Ship To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | Deliver To: DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA |
| Date Shipped 09-SEP-2015 | F.O.B. ORIGIN | Freight Terms Prepaid | Carrier CASTLE NETWORK |
| | | BOL No 2194275 | Delivery No 120172370 |

Shipment Details

Final Destination Branch -

| | | | |
|---|------------------------------|--------------------------------|---|
| Order No 4036573 | Line No 1 | Item No 4885 | Description 1.0000.SQ.303 STAINLESS CD ANN.132.0000-156.0000 SPECIFICATIONS: ASTM A582 |
| Purchase Order No 29667 | Part Number | Ordered Qty 12.00 FT | Invoice Qty 12.6667 FT |
| Details ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS | | | |
| Mill VALBRUNA CORPORATION | Heat Number 266325 | Mech ID 1 | PCS |
| | | Width (IN) | Length (IN) |
| | | | Shipped Qty (LBS) 43.0667 |

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:



Castle Metals®

A. M. Castle & Co.

PACKING SLIP/
CERTIFICATE OF CONFORMANCE

Page 1 of 1

Pack Slip No: 2184191

| | | | | |
|--|--|----------------------|--|--|
| Ship From: | Sold To: | | Ship To: | Deliver To: |
| A. M. Castle & Co. Chicago 3400 North Wolf Road Franklin Park, IL 60131 | DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | | DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA | DART AEROSPACE LTD 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CA |
| Date Shipped | F.O.B. | Freight Terms | Carrier | BOL No |
| 09-SEP-2015 | ORIGIN | Prepaid | CASTLE_NETWORK | 2194275 |
| | | | Delivery No | 120172370 |

Shipment Details

Final Destination Branch -

| | | | | | |
|--|--------------------|--------------------|--|--------------------|--------------------------|
| Order No | Line No | Item No | Description | Ordered Qty | Invoice Qty |
| 4036573 | 3 | 5036 | 0.5000, 2.5000, FLAT 304, STAINLESS, HR, ANN, PICKLE, 132.0000-156.0000 SPECIFICATIONS: ASTM A276 | | |
| Purchase Order No | | Part Number | | | |
| 29667 | | | 12.00 FT | 1159115 | 12.5625 FT |
| Details | | | | | |
| ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX: HEAT #S END USER: DART AEROSPACE END USE: COMMERCIAL AIRCRAFT PARTS | | | | | |
| Mill | Heat Number | Mech ID | PCS | Width (IN) | Length (IN) |
| VALBRUNA CORPORATION | 266000 | | 1 | | 150.7500 |
| | | | | | Shipped Qty (LBS) |
| | | | | | 53.3906 |

These commodities/technologies are subject to US Export Administration & US State Dept. Regulations and, if intended for export, were/are exported thereunder. Diversion contrary to US Law is Prohibited.

We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description. Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

Reviewed by Authorized Castle Metals Representative:

Date:

Name:

**VALBRUNA****SLATER STAINLESS, INC.**2400 TAYLOR STREET WEST - PO BOX 630
FORT WAYNE IN 46802 USA
PHONE 260 434 2800 - FAX 260 434 2801**Product Certification Report****Report Number: 5165560**

Certified on Aug 21, 2015 Page 1 of 1

| | | | | | |
|--|----------------|-----------------------|--------------------------------------|-------------------------|-----------------------------------|
| Order I.D. 1402355 001 | | Order Date 9/09/14 | | Commodity Code 4885 | |
| Dim 1 1.0000 | Dim 2 .0000 | Dim 3 .0000 | Heat I.D. 266325 | Customer I.D. 001123 | Customer Purchase Order 305862 |
| Product Shape Cold Drawn Squares | | | Product Surface Cold Drawn Finish | | Customer Grade 303 |
| Length (Inches) 132.000 Min. 156.000 Max. | | | Bill of Lading # 425636 | Weight | Melt Date: 2/23/15 |

Ship ToCASTLE METALS
3400 NORTH WOLF ROAD
FRANKLIN PARK, IL 60131DAS
14
9-89

1509/16

Sold ToVALBRUNA STAINLESS, INC.
2400 TAYLOR STREET WEST
FORT WAYNE, IN 46802**Lifts: 0047**

AISI 303

UNS S30300

AMS 5640U TYPE 1

Condition A

ASTMA 484-14a

3303-22 REV 33

ASTMA 582-12e1

CHEMICAL ANALYSIS

| C | Mn | P | S | Si | Cr | Ni | Mo | Cu | Co | N |
|------|------|------|-----|-----|-------|------|-----|-----|-----|-----|
| .042 | 1.76 | .032 | .26 | .55 | 17.09 | 8.11 | .28 | .66 | .12 | .02 |

BRINELL (Type A device) (E-10)

HBW

235

TENSILE PROPERTIES ASTM E8-15a

| TS (PSI) | .2%YS (PSI) | %EL(2") | %RA |
|----------|-------------|---------|------|
| 110000 | 67700 | 44.7 | 55.0 |

MACRO ASTM E340-15/E381-01

MACRO

OK

No welding or weld repair done.

Material when shipped is free from contamination by mercury, radium, alpha source, and low melting elements.

Reduction Ratio Exceeds 4:1

Electric Furnace melted; AOD refined.

Chemical testing to one or more of the listed ASTM methods:

E415-14, E1019-11, E1086-14.

Location of tensile fracture: inside middle of gage length. %elong after fracture.

Chemical Analysis performed at Acciaierie Valbruna, Italy.

No mercury or low melting alloy contamination. No weld repair.

Melted and manufactured in Italy.

Material conforms to listed specifications and is DFARS compliant.

Quality system is compliant with ISO 9001:2008. Produced in accordance with EN 10204 3.1.

Results relate only to the items tested. Certification shall not be reproduced except in full, without written approval of Valbruna Stainless Inc. The recording of false, fictitious, or fraudulent statements on this document may be punished as a felony under federal statutes. Including Federal law Title 18, Chapter 47. Consult material safety data sheet (MSDS) for hazard info. I hereby certify that the reported figures are correct as contained in the records of the corporation.

Manager Laboratory Services

Dennis Hackett

email: DHackett@valbruna.us

Dennis Hackett

Acciaierie Valbruna S.p.A.



CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1

36100 VICENZA (Italia) - Viale della scienza, 25 z.i.
Stab.: 39100 BOLZANO (Italia) - Via A. Volta, 4
Telephon number : 0039 (0) 444968211

Clienti / Besondere/Kunden/Client
VALBRUNA STAINLESS INC.
2400 TAYLOR STREET WEST
46801-FORT WAYNE, IN 46801-US

Produttore: **ACCIAIERIE VALBRUNA S.P.A.**
Hersteller/Hersteller/Hersteller

Stato di fornitura: Hot rolled Descaled Annealed Hot rolled
Lieferzustand/Delivery state/État de livraison

QUALITY MANAGEMENT SYSTEM CERTIFIED BY LLOYD'S REGISTER

Avviso di Spedizione: D-V115004453
Lieferungsanweisung/Les B.L.

Ordine nr: 43706 326588 CASTLE
Bestell/Your order/Commande

Tipo di Elaborazione: E+AOD
Erweiterungsaufbereitung/Mode d'elaboration

Certificato nr: MEST643889/2015/
Prüfung/Teil/Exemplar

Conferma ordine nr: E115000753
Werk/Cut Order/Ref nr

Marchio di Fabbrica:
Zeichen des Lieferanten
Trade mark
Sigle de l'usine productrice

Punzione del Collaudatore:
Stempel des Werkstoffprüfenden
Inspector's stamp/Pointon de l'essayeur



requirements shall be specifically demanded, at least, upon order of the Product by the Purchaser. Acciaierie Valbruna SpA shall not be responsible for any improper use of the Products.

Castle Metals

HEAT NUMBER 266000
MECHANICAL ID _____
ITEM CODE 43706
LOT NUMBER _____
PO NUMBER 326588
RECEIPT DATE 4.20.15
SUPPLIER Valbruna
SPECIFICATION _____
LGS _____
COMMENT _____
APPROVED [Signature]

Vicenza, 16/02/15
VCO008
(Mod. MCE2)

Il collaudatore di stabilimento / der Werkstoffverständiger / Works Inspector / L'agente d'usine

M. Rizzoli [Signature]

Pagina - 2 di 2

**CERTIFICATO DI COLLAUDO
ABNAHMEPRUEFZEUGNIS
INSPECTION CERTIFICATE
CERTIFICAT DE RECEPTION
EN 10204 (2004) , 3.1**

Pagina - 1 di 2

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M304
DATE: 15/09/16

PO / BATCH NO: 29667/133161

MATERIAL CERT REC'D: yes
QUANTITY RECEIVED: 12' 6"
QUANTITY INSPECTED: 12' 6"
QUANTITY REJECTED: _____

THICKNESS ORDERED: .500 X 2.500
THICKNESS RECEIVED: .500 X 2.500
SHEET SIZE ORDERED: _____
SHEET SIZE RECEIVED: _____

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|--|-----------------------|-----|----------|
| SURFACE DAMAGE | Y | (N) | |
| CORRECT FINISH | (Y) | N | |
| CORROSION | Y | (N) | |
| CORRECT GRAIN DIRECTION | (Y) | N | |
| CORRECT MATERIAL | (Y) | N | |
| CORRECT THICKNESS | (Y) | N | |
| PHOTO REQUIRED | Y | (N) | |
| CORRECT MATERIAL | (Y) | N | |
| CORRECT REF # TO LINK CERT | (Y) | N | |
| CORRECT MATERIAL IDENTIFICATION | (Y) | N | |
| CORRECT M# ON THE MATERIAL | (Y) | N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y | (N) | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y | (N) | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|--|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | | ENGINEERING SIGNOFF (if required) | |
|--------------------------|----------------------|-----------------------------------|--|
| INSPECTED BY: <u>DAS</u> | SIGNED OFF BY: _____ | | |
| DATE: <u>15/09/16</u> | DATE: _____ | | |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M303
 DATE: 15/09/16

PO / BATCH NO: 29667/133161

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12'8"
 QUANTITY INSPECTED: 12'8"
 QUANTITY REJECTED: _____

THICKNESS ORDERED: 1.00X1.00
 THICKNESS RECEIVED: 1.00X1.00
 SHEET SIZE ORDERED: _____
 SHEET SIZE RECEIVED: _____

| DESCRIPTION | NCR (Check Y/N) | | COMMENTS |
|--|------------------------------------|------------------------------------|----------|
| SURFACE DAMAGE | Y | <input checked="" type="radio"/> N | |
| CORRECT FINISH | <input checked="" type="radio"/> Y | N | |
| CORROSION | Y | <input checked="" type="radio"/> N | |
| CORRECT GRAIN DIRECTION | <input checked="" type="radio"/> Y | N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y | N | |
| CORRECT THICKNESS | <input checked="" type="radio"/> Y | N | |
| PHOTO REQUIRED | Y | <input checked="" type="radio"/> N | |
| CORRECT MATERIAL | <input checked="" type="radio"/> Y | N | |
| CORRECT REF # TO LINK CERT | <input checked="" type="radio"/> Y | N | |
| CORRECT MATERIAL IDENTIFICATION | <input checked="" type="radio"/> Y | N | |
| CORRECT M# ON THE MATERIAL | <input checked="" type="radio"/> Y | N | |
| DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF | Y | <input checked="" type="radio"/> N | |
| DOES THIS REQUIRE AN EXTRUSION REPORT | Y | <input checked="" type="radio"/> N | |

| CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW | | | | | |
|--|-----|-----|-------|-------|--|
| TYPE OF MATERIAL SIZE OF TEST SAMPLE HARDNESS / DUROMETER READING | HRC | HRB | DUR A | DUR D | |
| | | | | | |
| | | | | | |

testers located in the Quality Office

| QC 18 INSPECTION | | ENGINEERING SIGNOFF (if required) |
|--|-------------------------------------|-----------------------------------|
| INSPECTED BY: <u>DAS</u> <u>14</u> DATE: <u>15/09/16</u> | SIGNED OFF BY: _____ DATE: _____ | |

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO29667**

Purchase Order Date 9/2/2015

PO Print Date 9/2/2015

Page Number 1 of 2

Order From :
METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

VU-MET002

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA



Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Customer POID

Customer Tax # 10127-2607

Terms Net 30

Currency USD

FOB Destination-Collect

Chantal Lavoie

| Line Nbr | Reference Vendor Part Number Line Comments Delivery Comments | Description/ Mfg ID | Req Date/ Taxable Promise Date | CD | Req Qty/ Unit of Measure | PO Unit Price | Extended Price |
|--|--|------------------------|--------------------------------------|----|--------------------------------|---------------|----------------|
| 1 | M303B1.000X1.000 | 303 BAR 1" X 1" | 9/14/2015 Yes 9/14/2015 | | 12.00 f | \$11.77 | \$141.24 |
| MATERIAL: AISI 303 SS BAR AS PER ASTM A582 NOTE: AISI 304/316 NOT ACCEPTABLE | | | | | | | |
| Line Total: | | | | | | | \$141.24 |
| 2 | M304B0.500X2.500 | 304 BAR .500 x 2.50 | 9/14/2015 Yes 9/14/2015 | | 12.00 f | \$11.86 | \$142.32 |
| MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE | | | | | | | |
| Line Total: | | | | | | | \$142.32 |

Note:

9/2/2015



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO29667**

Purchase Order Date 9/2/2015

PO Print Date 9/2/2015

Page Number 2 of 2

Order From :

VU-MET002

Ship To : DART AEROSPACE LTD

METAUX CASTLE
P.O. BOX 4090 STN A
TORONTO, ONTARIO M5W OE9
CANADA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via: Yours ppd

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

| | | | | | | |
|---|----------|--------------------------------|-----------|------|--------|--------|
| 3 | 71401-45 | PROCUREMENT QUALITY CLAUSES | 9/14/2015 | 1.00 | \$0.00 | \$0.00 |
|---|----------|--------------------------------|-----------|------|--------|--------|

No

9/14/2015

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of materila conformance

A041 quality management system

A042 dart notification by supplier

A043 retention of quality documents

Line Total: \$0.00

PO Total: \$283.56

CL U

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 1

Change Date: 9/2/2015